



2 West Washington Street
Suite 600
Greenville, SC 29601
www.ls3p.com
864.272.1215



ADDENDUM ONE

Terhune Ground Floor and First Floor Bookstore Renovations
H59-6288-JM

DATE : July 28, 2025

PROJECT : 3202-240135

TO : ALL BIDDERS

FROM : Douglas Rackley, AIA, LEED AP, WELL AP, GGP

CC : Jim McVey, OSE; Michael Clardy, SCC and Sheri Johnson, SCC

GENERAL COMMENTS:

1. The bidder must acknowledge receipt of all addenda in the box(es) provided on the bid form.
2. Clarification: Demountable partitions are NOT part of this bid. Information regarding demountable partition products are provided for reference only. The general contractor shall be responsible for providing GWB finish and paint at all opening jambs and headers as noted on details within the bid drawing set AND shall be responsible for coordinating with the demountable partition vendor selected by Spartanburg Community College.
3. Provide box headers at all openings including headers for demountable partitions. Provide with wood blocking to each demountable partitions.
4. Information presented in an Addendum will be added and/or corrected on the drawings noted as ISSUED FOR CONSTRUCTION.

RFI Questions

1. The BMS for the SCC Terhune Building is monitored by Siemens. The contact person at Siemens is Nick Grothe nicholas.grothe@siemens.com
2. Elliot Security monitors the existing simplex fire alarm system at SCC Terhune. The contact person(s) at Elliot Security is Mark Stewart 864-582-2400 or Phil Elliott at 864-921-5012.

South Carolina Division of Procurement Services, Office of State Engineer Version of AIA® Document A701™ – 2018

Instructions to Bidders

This version of AIA Document A701™–2018 is modified by the South Carolina Division of Procurement Services, Office of State Engineer (“SCOSE”). Publication of this version of AIA Document A701–2018 does not imply the American Institute of Architects’ endorsement of any modification by SCOSE. A comparative version of AIA Document A701–2018 showing additions and deletions by SCOSE is available for review on the SCOSE Web site.

Cite this document as “AIA Document A701™– 2018, Instructions to Bidders — SCOSE Version,” or “AIA Document A701™–2018 — SCOSE Version.”

South Carolina Division of Procurement Services, Office of State Engineer Version of AIA® Document A701™ – 2018

Instructions to Bidders

for the following Project:

(Name, State Project Number, location, and detailed description)

Terhune Ground Floor and First Floor Bookstore Renovations

H59-6288-JM

107 Community College Drive, Spartanburg, SC 29303

THE OWNER:

(Name, legal status, address, and other information)

Spartanburg Community College

107 Community College Drive

Spartanburg, SC 29303

The Owner is a Governmental Body of the State of South Carolina as defined by S.C. Code Ann. § 11-35-310.

THE ARCHITECT:

(Name, legal status, address, and other information)

LS3P ASSOCIATES LTD.

2 West Washington Street, Suite 600

Greenville, SC 29601

This version of AIA Document A701-2018 is modified by the South Carolina Division of Procurement Services, Office of State Engineer. Publication of this version of AIA Document A701 does not imply the American Institute of Architects' endorsement of any modification by South Carolina Division of Procurement Services, Office of State Engineer. A comparative version of AIA Document A701-2018 showing additions and deletions by the South Carolina Division of Procurement Services, Office of State Engineer is available for review on South Carolina state Web site.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

TABLE OF ARTICLES

| | |
|---|------------------------------------------------|
| 1 | DEFINITIONS |
| 2 | BIDDER'S REPRESENTATIONS |
| 3 | BIDDING DOCUMENTS |
| 4 | BIDDING PROCEDURES |
| 5 | CONSIDERATION OF BIDS |
| 6 | POST-BID INFORMATION |
| 7 | PERFORMANCE BOND AND PAYMENT BOND |
| 8 | ENUMERATION OF THE PROPOSED CONTRACT DOCUMENTS |

ARTICLE 1 DEFINITIONS

§ 1.1 Bidding Documents include the Bidding Requirements and the Proposed Contract Documents. The Bidding Requirements consist of the advertisement or invitation to bid, Instructions to Bidders, supplementary instructions to bidders, the bid form, and any other bidding forms. The Proposed Contract Documents consist of the unexecuted form of Agreement between the Owner and Contractor and that Agreement's Exhibits, Conditions of the Contract (General, Supplementary and other Conditions), Drawings, Specifications, all Addenda, and all other documents enumerated in Article 8 of these Instructions.

§ 1.1.1 Any reference in this document to the Agreement between the Owner and Contractor, AIA Document A101, or some abbreviated reference thereof, shall mean the AIA Document A101-2017 Standard Form of Agreement Between Owner and Contractor, SCOSE Version. Any reference in this document to the General Conditions of the Contract for Construction, AIA Document A201, or some abbreviated reference thereof, shall mean the AIA Document A201-2017 General Conditions of the Contract for Construction, SCOSE Version.

§ 1.2 Definitions set forth in the General Conditions of the Contract for Construction, or in other Proposed Contract Documents apply to the Bidding Documents.

§ 1.3 Addenda are written or graphic instruments issued by the Architect, which, by additions, deletions, clarifications, or corrections, modify or interpret the Bidding Documents.

§ 1.4 A Bid is a complete and properly executed proposal to do the Work for the sums stipulated therein, submitted in accordance with the Bidding Documents.

§ 1.5 The Base Bid is the sum stated in the Bid for which the Bidder offers to perform the Work described in the Bidding Documents, to which Work may be added or deleted by sums stated in Alternate Bids.

§ 1.6 An Alternate Bid (or Alternate) is an amount stated in the Bid to be added to or deducted from, or that does not change, the Base Bid if the corresponding change in the Work, as described in the Bidding Documents, is accepted.

§ 1.7 A Unit Price is an amount stated in the Bid as a price per unit of measurement for materials, equipment, or services, or a portion of the Work, as described in the Bidding Documents.

§ 1.8 A Bidder is a person or entity who submits a Bid.

§ 1.9 A Sub-bidder is a person or entity who submits a bid to a Bidder for materials, equipment, or labor for a portion of the Work.

ARTICLE 2 BIDDER'S REPRESENTATIONS

§ 2.1 By submitting a Bid, the Bidder represents that:

- .1 the Bidder has read and understands the Bidding Documents;
- .2 the Bidder understands how the Bidding Documents relate to other portions of the Project, if any, being bid concurrently or presently under construction;
- .3 the Bid complies with the Bidding Documents;
- .4 the Bidder has visited the site, become familiar with local conditions under which the Work is to be performed, has correlated the Bidder's observations with the requirements of the Proposed Contract Documents, and accepts full responsibility for any pre-bid existing conditions that would affect the Bid that could have been ascertained by a site visit. As provided in S.C. Code Ann. Reg. 19-445.2042(B), a bidder's failure to attend an advertised pre-bid conference will not excuse its responsibility for estimating properly the difficulty and cost of successfully performing the work, or for proceeding to successfully perform the work without additional expense to the State;
- .5 the Bid is based upon the materials, equipment, and systems required by the Bidding Documents without exception;
- .6 the Bidder has read and understands the provisions for liquidated damages, if any, set forth in the form of Agreement between the Owner and Contractor; and
- .7 the Bidder understands that it may be required to accept payment by electronic funds transfer (EFT).

§ 2.2 Certification of Independent Price Determination

§ 2.2.1 GIVING FALSE, MISLEADING, OR INCOMPLETE INFORMATION ON THIS CERTIFICATION MAY RENDER YOU SUBJECT TO PROSECUTION UNDER SC CODE OF LAWS §16-9-10 AND OTHER APPLICABLE LAWS.

§ 2.2.2 By submitting a Bid, the Bidder certifies that:

- .1 The prices in this Bid have been arrived at independently, without, for the purpose of restricting competition, any consultation, communication, or agreement with any other bidder or competitor relating to:
 - .1 those prices;
 - .2 the intention to submit a Bid; or
 - .3 the methods or factors used to calculate the prices offered.
- .2 The prices in this Bid have not been and will not be knowingly disclosed by the Bidder, directly or indirectly, to any other bidder or competitor before bid opening (in the case of a sealed bid solicitation) or contract award (in the case of a negotiated solicitation) unless otherwise required by law; and
- .3 No attempt has been made or will be made by the Bidder to induce any other concern to submit or not to submit a Bid for the purpose of restricting competition.

§ 2.2.3 Each signature on the Bid is considered to be a certification by the signatory that the signatory:

- .1 Is the person in the Bidder's organization responsible for determining the prices being offered in this Bid, and that the signatory has not participated and will not participate in any action contrary to Section 2.2.2 of this certification; or
- .2 Has been authorized, in writing, to act as agent for the Bidder's principals in certifying that those principals have not participated, and will not participate in any action contrary to Section 2.2.2 of this certification [As used in this subdivision, the term "principals" means the person(s) in the Bidder's organization responsible for determining the prices offered in this Bid];
- .3 As an authorized agent, does certify that the principals referenced in Section 2.2.3.2 of this certification have not participated, and will not participate, in any action contrary to Section 2.2.2 of this certification; and
- .4 As an agent, has not personally participated, and will not participate, in any action contrary to Section 2.2.2 of this certification.

§ 2.2.4 If the Bidder deletes or modifies Section 2.2.2.2 of this certification, the Bidder must furnish with its offer a signed statement setting forth in detail the circumstances of the disclosure.

§ 2.2.5 Drug Free Workplace Certification

By submitting a Bid, the Bidder certifies that, if awarded a contract, Bidder will comply with all applicable provisions of The Drug-free Workplace Act, S.C. Code Ann. 44-107-10, et seq.

§ 2.2.6 Certification Regarding Debarment and Other Responsibility Matters

§ 2.2.6.1 By submitting a Bid, Bidder certifies, to the best of its knowledge and belief, that:

- .1 Bidder and/or any of its Principals-
 - .1 Are not presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any state or federal agency;
 - .2 Have not, within a three-year period preceding this Bid, been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, state, or local) contract or subcontract; violation of Federal or state antitrust statutes relating to the submission of bids; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, tax evasion, or receiving stolen property; and
 - .3 Are not presently indicted for, or otherwise criminally or civilly charged by a governmental entity with, commission of any of the offenses enumerated in Section 2.2.6.1.1.2 of this provision.
- .2 Bidder has not, within a three-year period preceding this Bid, had one or more contracts terminated for default by any public (Federal, state, or local) entity.
- .3 "Principals," for the purposes of this certification, means officers; directors; owners; partners; and, persons having primary management or supervisory responsibilities within a business entity (e.g., general manager; plant manager; head of a subsidiary, division, or business segment, and similar positions).

§ 2.2.6.2 Bidder shall provide immediate written notice to the Procurement Officer if, at any time prior to contract award, Bidder learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

§ 2.2.6.3 If Bidder is unable to certify the representations stated in Section 2.2.6.1, Bidder must submit a written explanation regarding its inability to make the certification. The certification will be considered in connection with a review of the Bidder's responsibility. Failure of the Bidder to furnish additional information as requested by the Procurement Officer may render the Bidder non-responsible.

§ 2.2.6.4 Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render, in good faith, the certification required by Section 2.2.6.1 of this provision. The knowledge and information of a Bidder is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

§ 2.2.6.5 The certification in Section 2.2.6.1 of this provision is a material representation of fact upon which reliance was placed when making award. If it is later determined that the Bidder knowingly or in bad faith rendered an erroneous certification, in addition to other remedies available to the State, the Procurement Officer may terminate the contract resulting from this solicitation for default.

§ 2.2.7 Ethics Certificate

By submitting a Bid, the Bidder certifies that the Bidder has and will comply with, and has not, and will not, induce a person to violate Title 8, Chapter 13 of the SC Code of Laws, as amended (Ethics Act). The following statutes require special attention: S.C. Code Ann. §8-13-700, regarding use of official position for financial gain; S.C. Code Ann. §8-13-705, regarding gifts to influence action of public official; S.C. Code Ann. §8-13-720, regarding offering money for advice or assistance of public official; S.C. Code Ann. §8-13-755 and §8-13-760, regarding restrictions on employment by former public official; S.C. Code Ann. §8-13-775, prohibiting public official with economic interests from acting on contracts; S.C. Code Ann. §8-13-790, regarding recovery of kickbacks; S.C. Code Ann. §8-13-1150, regarding statements to be filed by consultants; and S.C. Code Ann. §8-13-1342, regarding restrictions on contributions by contractor to candidate who participated in awarding of contract. The State may rescind any contract and recover all amounts expended as a result of any action taken in violation of this provision. If the contractor participates, directly or indirectly, in the evaluation or award of public contracts, including without limitation, change orders or task orders regarding a public contract, the contractor shall, if required by law to file such a statement, provide the statement required by S.C. Code Ann. §8-13-1150 to the Procurement Officer at the same time the law requires the statement to be filed.

§ 2.2.8 Restrictions Applicable To Bidders & Gifts

Violation of these restrictions may result in disqualification of your Bid, suspension or debarment, and may constitute a violation of the state Ethics Act.

§ 2.2.8.1 After issuance of the solicitation, Bidder agrees not to discuss this procurement activity in any way with the Owner or its employees, agents or officials. All communications must be solely with the Procurement Officer. This restriction may be lifted by express written permission from the Procurement Officer. This restriction expires once a contract has been formed.

§ 2.2.8.2 Unless otherwise approved in writing by the Procurement Officer, Bidder agrees not to give anything to the Owner, any affiliated organizations, or the employees, agents or officials of either, prior to award.

§ 2.2.8.3 Bidder acknowledges that the policy of the State is that a governmental body should not accept or solicit a gift, directly or indirectly, from a donor if the governmental body has reason to believe the donor has or is seeking to obtain contractual or other business or financial relationships with the governmental body. SC Regulation 19-445.2165(C) broadly defines the term donor.

§ 2.2.9 Open Trade Representation

By submitting a Bid, the Bidder represents that Bidder is not currently engaged in the boycott of a person or an entity based in or doing business with a jurisdiction with whom South Carolina can enjoy open trade, as defined in S.C. Code Ann. §11-35-5300.

ARTICLE 3 BIDDING DOCUMENTS

§ 3.1 Distribution

§ 3.1.1 Bidders shall obtain complete Bidding Documents from the issuing office designated in the advertisement or invitation to bid, for the deposit sum, if any, stated therein.

§ 3.1.2 Any required deposit shall be refunded to all plan holders who return the paper Bidding Documents in good condition within ten (10) days after receipt of Bids. The cost to replace missing or damaged paper documents will be deducted from the deposit. A Bidder receiving a Contract award may retain the paper Bidding Documents, and the Bidder's deposit will be refunded.

§ 3.1.3 Reserved

§ 3.1.4 Bidders shall use complete Bidding Documents in preparing Bids. Neither the Owner nor Architect assumes responsibility for errors or misinterpretations resulting from the use of incomplete Bidding Documents.

§ 3.1.5 The Bidding Documents will be available for the sole purpose of obtaining Bids on the Work. No license or grant of use is conferred by distribution of the Bidding Documents.

§ 3.1.6 All persons obtaining Bidding Documents from the issuing office designated in the advertisement shall provide that office with Bidder's contact information to include the Bidder's name, telephone number, mailing address, and email address.

§ 3.2 Modification or Interpretation of Bidding Documents

§ 3.2.1 The Bidder shall carefully study the Bidding Documents, shall examine the site and local conditions, and shall notify the Architect of errors, inconsistencies, or ambiguities discovered and request clarification or interpretation pursuant to Section 3.2.2. Failure to do so will be at the Bidder's risk. Bidder assumes responsibility for any patent ambiguity that Bidder does not bring to the Architect's attention prior to Bid Opening.

§ 3.2.2 Requests for clarification or interpretation of the Bidding Documents shall be submitted by the Bidder in writing and shall be received by the Architect at least ten (10) days prior to the date for receipt of Bids.

§ 3.2.3 Modifications, corrections, changes, and interpretations of the Bidding Documents shall be made by Addendum. Modifications, corrections, changes, and interpretations of the Bidding Documents made in any other manner shall not be binding, and Bidders shall not rely upon them.

§ 3.2.4 As provided in S.C. Code Ann. Reg. 19-445.2042(B), nothing stated at the Pre-bid conference shall change the Bidding Documents unless a change is made by Addendum.

§ 3.3 Substitutions

§ 3.3.1 The materials, products, and equipment described in the Bidding Documents establish a standard of required function, dimension, appearance, and quality to be met by any proposed substitution. Where "brand name or equal" is used in the Bidding Documents, the listing description is not intended to limit or restrict competition.

§ 3.3.2 Substitution Process

§ 3.3.2.1 Written requests for substitutions shall be received by the Architect at least ten (10) days prior to the date for receipt of Bids. Requests shall be submitted in the same manner as that established for submitting clarifications and interpretations in Section 3.2.2.

§ 3.3.2.2 Bidders shall submit substitution requests on a Substitution Request Form if one is provided in the Bidding Documents.

§ 3.3.2.3 If a Substitution Request Form is not provided, requests shall include (1) the name of the material or equipment specified in the Bidding Documents; (2) the reason for the requested substitution; (3) a complete description of the proposed substitution including the name of the material or equipment proposed as the substitute, performance and test data, and relevant drawings; and (4) any other information necessary for an evaluation. The request shall include a statement setting forth changes in other materials, equipment, or other portions of the Work, including changes in the work of other contracts or the impact on any Project Certifications (such as LEED), that will result from incorporation of the proposed substitution.

§ 3.3.2.4 No request to substitute materials, products, or equipment for materials, products, or equipment described in the Bidding Documents and no request for addition of a manufacturer or supplier to a list of approved manufacturers or suppliers in the Bidding Documents will be considered prior to receipt of Bids unless written request for approval has been received by the Architect at least ten (10) days prior to the date for receipt of Bids established in the invitation to bid.

Any subsequent extension of the date for receipt of Bids by addendum shall not extend the date for receipt of such requests unless the addendum so specifies. A statement setting forth changes in other materials, equipment or other portions of the Work, including changes in the Work of other contracts that incorporation of the proposed substitution would require, shall be included.

§ 3.3.3 The burden of proof of the merit of the proposed substitution is upon the proposer. The Architect's decision of approval or disapproval of a proposed substitution shall be final.

§ 3.3.4 If the Architect approves a proposed substitution prior to receipt of Bids, such approval shall be set forth in an Addendum. Approvals made in any other manner shall not be binding, and Bidders shall not rely upon them.

§ 3.3.5 No substitutions will be considered after the Contract award unless specifically provided for in the Contract Documents.

§ 3.4 Addenda

§ 3.4.1 Addenda will be transmitted to Bidders known by the issuing office to have received complete Bidding Documents.

§ 3.4.2 Addenda will be available where Bidding Documents are on file.

§ 3.4.3 Addenda will be issued at least five (5) business days before the day of the Bid Opening, except an Addendum withdrawing the request for Bids or one which includes postponement of the date for receipt of Bids. A business day runs from midnight to midnight and excludes weekends and state and federal holidays.

§ 3.4.4 Prior to submitting a Bid, each Bidder shall ascertain that the Bidder has received all Addenda issued, and the Bidder shall acknowledge their receipt in the Bid.

§ 3.4.5 When the date for receipt of Bids is to be postponed and there is insufficient time to issue an Addendum prior to the original Bid Date, the Owner will notify prospective Bidders by telephone or other appropriate means with immediate follow up with an Addendum. This Addendum will verify the postponement of the original Bid Date and establish a new Bid Date. The new Bid Date will be no earlier than the fifth (5th) business day after the date of issuance of the Addendum postponing the original Bid Date.

§ 3.4.6 If an emergency or unanticipated event interrupts normal government processes so that Bids cannot be received at the government office designated for receipt of Bids by the exact time specified in the solicitation, the time specified for receipt of Bids will be deemed to be extended to the same time of day specified in the solicitation on the first work day on which normal government processes resume. In lieu of an automatic extension, an Addendum may be issued to reschedule Bid Opening. If state offices are closed in the county in which Bids are to be received at the time a pre-bid or pre-proposal conference is scheduled, an Addendum will be issued to reschedule the conference. Bidders shall visit <https://www.scemd.org/closings/> for information concerning closings.

ARTICLE 4 BIDDING PROCEDURES

§ 4.1 Preparation of Bids

§ 4.1.1 Bids shall be submitted on the forms included with or identified in the Bidding Documents.

§ 4.1.2 All blanks on the Bid Form shall be legibly executed. Paper bid forms shall be executed in a non-erasable medium.

§ 4.1.3 Sums shall be expressed in numbers.

§ 4.1.4 Interlineations, alterations and erasures must be initialed by the signer of the Bid. Bidder shall not make stipulations or qualify his Bid in any manner not permitted on the Bid Form. An incomplete Bid or information not requested that is written on or attached to the Bid Form that could be considered a qualification of the Bid, may be cause for rejection of the Bid.

§ 4.1.5 All requested Alternates shall be bid. The failure of the Bidder to indicate a price for an Alternate shall render the Bid non-responsive. Indicate the change to the Base Bid by entering the dollar amount and marking, as appropriate, the box for "ADD TO" or "DEDUCT FROM". If no change in the Base Bid is required, enter "ZERO" or "No Change".

§ 4.1.6 Pursuant to S.C. Code Ann. § 11-35-3020(b)(i), as amended, Section 7 of the Bid Form sets forth a list of proposed subcontractors for which the Bidder is required to identify those subcontractors the Bidder will use to perform the work listed. Bidder must follow the instructions in the Bid Form for filling out this section of the Bid Form. Failure to properly fill out Section 7 may result in rejection of Bidder's bid as non-responsive.

§ 4.1.7 Contractors and subcontractors listed in Section 7 of the Bid Form who are required by the South Carolina Code of Laws to be licensed, must be licensed as required by law at the time of bidding.

§ 4.1.8 Each copy of the Bid shall state the legal name and legal status of the Bidder. Each copy of the Bid shall be signed by the person or persons legally authorized to bind the Bidder to a contract.

§ 4.1.9 A Bidder shall incur all costs associated with the preparation of its Bid.

§ 4.2 Bid Security

§ 4.2.1 If required by the invitation to bid, each Bid shall be accompanied by a bid security in an amount of not less than five percent of the Base Bid. The bid security shall be a bid bond or a certified cashier's check.

§ 4.2.2 The Bidder pledges to enter into a Contract with the Owner on the terms stated in the Bid and shall, if required, furnish bonds covering the faithful performance of the Contract and payment of all obligations arising thereunder. Should the Bidder refuse to enter into such Contract or fail to furnish such bonds if required, the amount of the bid security shall be forfeited to the Owner as liquidated damages, not as a penalty.

§ 4.2.3 If a surety bond is required as bid security, it shall be written on AIA Document A310™, Bid Bond and the attorney-in-fact who executes the bond on behalf of the surety shall affix to the bond a certified and current copy of an acceptable power of attorney. The Bid Bond shall:

- .1 be issued by a surety company licensed to do business in South Carolina;
- .2 be issued by a surety company having, at a minimum, a "Best Rating" of "A" as stated in the most current publication of "Best's Key Rating Guide, Property-Casualty", which company shows a financial strength rating of at least five (5) times the contract price.
- .3 be enclosed in the bid envelope at the time of Bid Opening, either in paper copy or as an electronic bid bond authorization number provided on the Bid Form and issued by a firm or organization authorized by the surety to receive, authenticate and issue binding electronic bid bonds on behalf of the surety.

§ 4.2.4 The Owner will have the right to retain the bid security of Bidders to whom an award is being considered until either (a) the Contract has been executed and performance and payment bonds, if required, have been furnished; (b) the specified time has elapsed so that Bids may be withdrawn; or (c) all Bids have been rejected.

§ 4.2.5 By submitting a Bid Bond via an electronic bid bond authorization number on the Bid Form and signing the Bid Form, the Bidder certifies that an electronic bid bond has been executed by a Surety meeting the standards required by the Bidding Documents and the Bidder and Surety are firmly bound unto the State of South Carolina under the conditions provided in this Section 4.2.

§ 4.3 Submission of Bids

§ 4.3.1 A Bidder shall submit its Bid as indicated below:

§ 4.3.2 All paper copies of the Bid, the bid security, and any other documents required to be submitted with the Bid shall be enclosed in a sealed opaque envelope. The envelope shall, unless hand delivered by the Bidder, be addressed to the Owner's designated purchasing office as shown in the invitation to bid. The envelope shall be identified with the Project name, the Bidder's name and address, and, if applicable, the designated portion of the Work for which the Bid is submitted. If the Bid is sent by mail, or special delivery service (UPS, Federal Express, etc.), the sealed envelope shall be labelled "SEALED BID ENCLOSED" on the face thereof. Bidders hand delivering their Bids shall deliver Bids to the place of the Bid Opening as shown in the invitation for bids. Whether or not Bidders attend the Bid Opening, they shall give their Bids to the Owner's Procurement Officer or his/her designee as shown in the invitation to bid prior to the time of the Bid Opening.

§ 4.3.3 Bids shall be submitted by the date and time and at the place indicated in the invitation to bid. Bids submitted after the date and time for receipt of Bids, or at an incorrect place, will not be accepted.

§ 4.3.4 The Bidder shall assume full responsibility for timely delivery at the location designated for receipt of Bids.

§ 4.3.5 A Bid submitted by any method other than as provided in this Section 4.3 will not be accepted. Oral, telephonic, telegraphic, facsimile or other electronically transmitted bids will not be considered.

§ 4.3.6 The official time for receipt of Bids will be determined by reference to the clock designated by the Owner's Procurement Officer or his/her designee. The Procurement Officer conducting the Bid Opening will determine and announce that the deadline has arrived and no further Bids or bid modifications will be accepted. All Bids and bid modifications in the possession of the Procurement Officer at the time the announcement is completed will be timely, whether or not the bid envelope has been date/time stamped or otherwise marked by the Procurement Officer.

§ 4.4 Modification or Withdrawal of Bid

§ 4.4.1 Prior to the date and time designated for receipt of Bids, a Bidder may submit a new Bid to replace a Bid previously submitted, or withdraw its Bid entirely, by notice to the party designated to receive the Bids. Such notice shall be received and duly recorded by the receiving party on or before the date and time set for receipt of Bids. The receiving party shall verify that replaced or withdrawn Bids are removed from the other submitted Bids and not considered. Notice of submission of a replacement Bid or withdrawal of a Bid shall be worded so as not to reveal the amount of the original Bid.

§ 4.4.2 Withdrawn Bids may be resubmitted up to the date and time designated for the receipt of Bids in the same format as that established in Section 4.3, provided they fully conform with these Instructions to Bidders. Bid security shall be in an amount sufficient for the Bid as resubmitted.

ARTICLE 5 CONSIDERATION OF BIDS

§ 5.1 Opening of Bids

Bids received on time will be publicly opened and read aloud. The Owner will not read aloud Bids that the Owner determines, at the time of opening, to be non-responsive.

§ 5.1.1 At Bid Opening, the Owner will announce the date and location of the posting of the Notice of Intend to Award. If the Owner determines to award the Project, the Owner will, after posting a Notice of Intend to Award, send a copy of the Notice to all Bidders.

§ 5.1.2 The Owner will send a copy of the final Bid Tabulation to all Bidders within ten (10) working days of the Bid Opening.

§ 5.1.3 If only one Bid is received, the Owner will open and consider the Bid.

§ 5.2 Rejection of Bids

§ 5.2.1 The Owner shall have the right to reject any or all Bids. A Bid not accompanied by a required bid security or by other data required by the Bidding Documents, or a Bid which is in any way incomplete or irregular is subject to rejection.

§ 5.2.2 The reasons for which the Owner will reject Bids include, but are not limited to:

- .1 Failure by a Bidder to be represented at a Mandatory Pre-Bid Conference or site visit;
- .2 Failure to deliver the Bid on time;
- .3 Failure to comply with Bid Security requirements, except as expressly allowed by law;
- .4 Listing an invalid electronic Bid Bond authorization number on the Bid Form;
- .5 Failure to Bid an Alternate, except as expressly allowed by law;
- .6 Failure to list qualified subcontractors as required by law;
- .7 Showing any material modification(s) or exception(s) qualifying the Bid;
- .8 Faxing a Bid directly to the Owner or Owner's representative; or
- .9 Failure to include a properly executed Power-of-Attorney with the Bid Bond.

§ 5.2.3 The Owner may reject a Bid as nonresponsive if the prices bid are materially unbalanced between line items or sub-line items. A Bid is materially unbalanced when it is based on prices significantly less than cost for some work and prices which are significantly overstated in relation to cost for other work, and if there is a reasonable doubt that the Bid

will result in the lowest overall cost to the Owner even though it may be the low evaluated Bid, or if it is so unbalanced as to be tantamount to allowing an advance payment.

§ 5.3 Acceptance of Bid (Award)

§ 5.3.1 It is the intent of the Owner to award a Contract to the lowest responsive and responsible Bidder, provided the Bid has been submitted in accordance with the requirements of the Bidding Documents and does not exceed available funds. The Owner shall have the right to waive informalities and irregularities in a Bid received and to accept the Bid which, in the Owner's judgment, is in the Owner's best interests.

§ 5.3.2 The Owner shall have the right to accept Alternates in any order or combination, unless otherwise specifically provided in the Bidding Documents, and to determine the lowest responsive and responsible Bidder on the basis of the sum of the Base Bid and Alternates accepted.

ARTICLE 6 POST-BID INFORMATION

§ 6.1 Contractor's Responsibility

Owner will make a determination of Bidder's responsibility before awarding a contract. Bidder shall provide all information and documentation requested by the Owner to support the Owner's evaluation of responsibility. Failure of Bidder to provide requested information is cause for the Owner, at its option, to determine the Bidder to be non-responsible.

§ 6.2 Reserved

§ 6.3 Submittals

§ 6.3.1 After notification of selection for the award of the Contract, the Bidder shall, as soon as practicable or as stipulated in the Bidding Documents, submit in writing to the Owner through the Architect:

- .1 a designation of the Work to be performed with the Bidder's own forces;
- .2 names of the principal products and systems proposed for the Work and the manufacturers and suppliers of each; and
- .3 names of persons or entities (including those who are to furnish materials or equipment fabricated to a special design) proposed for the principal portions of the Work.

§ 6.4 Posting of Intent To Award

The Notice of Intent to Award will be posted at the following location:

Room or Area of Posting: Room 240

Building Where Posted: Ledbetter Building - SCC Giles Campus

Address of Building: 103 Community College Drive / Spartanburg, SC 29303

WEB site address (if applicable): <https://www.sccsc.edu/about/vendors/construction-solicitations/>

Posting date will be announced at Bid Opening. In addition to posting the Notice, the Owner will promptly send all responsive Bidders a copy of the Notice of Intent to Award and the final bid tabulation

§ 6.5 Protest of Solicitation or Award

§ 6.5.1 If you are aggrieved in connection with the solicitation or award of a contract, you may be entitled to protest, but only as provided in S.C. Code Ann. § 11-35-4210. To protest a solicitation, you must submit a protest within fifteen (15) days of the date the applicable solicitation document is issued. To protest an award, you must (i) submit notice if your intent to protest within seven (7) business days of the date the award notice is posted, and (ii) submit your actual protest within fifteen (15) days of the date the award notice is posted. Days are calculated as provided in Section 11-35-310(13). Both protests and notices of intent to protest must be in writing and must be received by the State Engineer within the time provided. The grounds of the protest and the relief requested must be set forth with enough particularity to give notice of the issues to be decided.

§ 6.5.2 Any protest must be addressed to the CPO, Office of State Engineer, and submitted in writing:

- .1 by email to protest-ose@mmo.sc.gov,
- .2 by facsimile at 803-737-0639, or
- .3 by post or delivery to 1201 Main Street, Suite 600, Columbia, SC 29201.

By submitting a protest to the foregoing email address, you (and any person acting on your behalf) consent to receive communications regarding your protest (and any related protests) at the e-mail address from which you sent your protest.

ARTICLE 7 PERFORMANCE BOND AND PAYMENT BOND

§ 7.1 Bond Requirements

§ 7.1.1 If stipulated in the Bidding Documents, the Bidder shall furnish bonds covering the faithful performance of the Contract and payment of all obligations arising thereunder.

§ 7.1.2 If the furnishing of such bonds is stipulated in the Bidding Documents, the cost shall be included in the Bid.

§ 7.1.3 The Bidder shall provide surety bonds from a company or companies lawfully authorized to issue surety bonds in the state of South Carolina.

§ 7.1.4 Unless otherwise indicated below, the Penal Sum of the Payment and Performance Bonds shall be the amount of 100% of the Contract Sum.

§ 7.2 Time of Delivery of Contract, Certificates of Insurance, and Form of Bonds

§ 7.2.1 Following expiration of the protest period, the Owner will forward the Contract for Construction to the Bidder for signature. The Bidder shall return the fully executed Contract for Construction to the Owner within seven (7) days. The Bidder shall deliver the required bonds and certificate of insurance to the Owner not later than three (3) days following the date of execution of the Contract. Failure to deliver these documents as required shall entitle the Owner to consider the Bidder's failure as a refusal to enter into a contract in accordance with the terms and conditions of the Bidder's Bid and to make claim on the Bid Security for re-procurement cost.

§ 7.2.2 Unless otherwise provided, the bonds shall be written on the Performance Bond and Payment Bond forms included in the Bid Documents.

§ 7.2.3 The bonds shall be dated on or after the date of the Contract.

§ 7.2.4 The Bidder shall require the attorney-in-fact who executes the required bonds on behalf of the surety to affix to the bond a certified and current copy of the power of attorney.

ARTICLE 8 ENUMERATION OF THE PROPOSED CONTRACT DOCUMENTS

§ 8.1 Copies of the proposed Contract Documents have been made available to the Bidder and consist of the following documents:

- .1 AIA Document A101™-2017, Standard Form of Agreement Between Owner and Contractor, SCOSE Version.
- .2 AIA Document A101™-2017, Exhibit A, Insurance and Bonds, SCOSE Version.
- .3 AIA Document A201™-2017, General Conditions of the Contract for Construction, SCOSE Version.
- .4 Drawings

| Number | Title | Date |
|-----------------------------|-------|------|
| Refer to BID DRAWINGS INDEX | | |

.5 Specifications

| Section | Title | Date | Pages |
|-----------------------|-------|------|-------|
| Refer to BID SPEC TOC | | | |

.6 Addenda:

| Number | Date | Pages |
|--------|------|-------|
|--------|------|-------|

.7 Other Exhibits:

(Check all boxes that apply and include appropriate information identifying the exhibit where required.)

- AIA Document E203™–2013, Building Information Modeling and Digital Data Exhibit, dated as indicated below:
- AIA Document E204™–2017, Sustainable Projects Exhibit, dated as indicated below:
- The Sustainability Plan:
- Supplementary and other Conditions of the Contract:

.8 Other documents listed below:

(List here any additional documents that are intended to form part of the Proposed Contract Documents.)

ARTICLE 9 Miscellaneous

§ 9.1 Nonresident Taxpayer Registration Affidavit Income Tax Withholding Important Tax Notice - Nonresidents Only

§ 9.1.1 Withholding Requirements for Payments to Nonresidents: SC Code of Laws §12-8-550 requires persons hiring or contracting with a nonresident conducting a business or performing personal services of a temporary nature within South Carolina to withhold 2% of each payment made to the nonresident. The withholding requirement does not apply to (1) payments on purchase orders for tangible personal property when the payments are not accompanied by services to be performed in South Carolina, (2) nonresidents who are not conducting business in South Carolina, (3) nonresidents for contracts that do not exceed \$10,000 in a calendar year, or (4) payments to a nonresident who (a) registers with either the S.C. Department of Revenue or the S.C. Secretary of State and (b) submits a Nonresident Taxpayer Registration Affidavit - Income Tax Withholding, Form I-312 to the person letting the contract.

§ 9.1.2 For information about other withholding requirements (e.g., employee withholding), contact the Withholding Section at the South Carolina Department of Revenue at 803-898-5383 or visit the Department's website at:

www.sctax.org

§ 9.1.3 This notice is for informational purposes only. This Owner does not administer and has no authority over tax issues. All registration questions should be directed to the License and Registration Section at 803-898-5872 or to the South Carolina Department of Revenue, Registration Unit, Columbia, S.C. 29214-0140. All withholding questions should be directed to the Withholding Section at 803-898-5383.

PLEASE SEE THE "NONRESIDENT TAXPAYER REGISTRATION AFFIDAVIT INCOME TAX WITHHOLDING" FORM (Available through SC Department of Revenue).

§ 9.2 Submitting Confidential Information

§ 9.2.1 For every document the Bidder submits in response to or with regard to this solicitation or request, the Bidder must separately mark with the word "CONFIDENTIAL" every page, or portion thereof, that the Bidder contends contains information that is exempt from public disclosure because it is either (a) a trade secret as defined in Section 30-4-40(a)(1), or (b) privileged & confidential, as that phrase is used in SC Code of Laws §11-35-410.

§ 9.2.2 For every document the Bidder submits in response to or with regard to this solicitation or request, the Bidder must separately mark with the words "TRADE SECRET" every page, or portion thereof, that the Bidder contends contains a trade secret as that term is defined by SC Code of Laws §39-8-20.

§ 9.2.3 For every document the Bidder submits in response to or with regard to this solicitation or request, the Bidder must separately mark with the word "PROTECTED" every page, or portion thereof, that the Bidder contends is protected by SC Code of Laws §11-35-1810.

§ 9.2.4 All markings must be conspicuous; use color, bold, underlining, or some other method in order to conspicuously distinguish the mark from the other text. Do not mark your entire Bid as confidential, trade secret, or protected! If your Bid, or any part thereof, is improperly marked as confidential or trade secret or protected, the State may, in its sole discretion, determine it nonresponsive. If only portions of a page are subject to some protection, do not mark the entire page.

§ 9.2.5 By submitting a response to this solicitation, Bidder (1) agrees to the public disclosure of every page of every document regarding this solicitation or request that was submitted at any time prior to entering into a contract (including, but not limited to, documents contained in a response, documents submitted to clarify a response, & documents submitted during negotiations), unless the page is conspicuously marked "TRADE SECRET" or "CONFIDENTIAL" or "PROTECTED", (2) agrees that any information not marked, as required by these bidding instructions, as a "Trade Secret" is not a trade secret as defined by the Trade Secrets Act, & (3) agrees that, notwithstanding any claims or markings otherwise, any prices, commissions, discounts, or other financial figures used to determine the award, as well as the final contract amount, are subject to public disclosure.

§ 9.2.6 In determining whether to release documents, the State will detrimentally rely on the Bidders' marking of documents, as required by these bidding instructions, as being either "Confidential" or "Trade Secret" or "PROTECTED".

§ 9.2.7 By submitting a response, the Bidder agrees to defend, indemnify & hold harmless the State of South Carolina, its officers & employees, from every claim, demand, loss, expense, cost, damage or injury, including attorney's fees, arising out of or resulting from the State withholding information that Bidder marked as "confidential" or "trade secret" or "PROTECTED".

§ 9.3 Solicitation Information From Sources Other Than Official Source

South Carolina Business Opportunities (SCBO) is the official state government publication for State of South Carolina solicitations. Any information on State agency solicitations obtained from any other source is unofficial and any reliance placed on such information is at the Bidder's sole risk and is without recourse under the South Carolina Consolidated Procurement Code.

§ 9.4 Builder's Risk Insurance

Bidders are directed to Exhibit A of the AIA Document A101, 2017 SCOE Version, which, unless provided otherwise in the Bid Documents, requires the contractor to provide builder's risk insurance on the project.

§ 9.5 Tax Credit For Subcontracting With Minority Firms

§ 9.5.1 Pursuant to S.C. Code Ann. §12-6-3350, taxpayers, who utilize certified minority subcontractors, may take a tax credit equal to 4% of the payments they make to said subcontractors. The payments claimed must be based on work performed directly for a South Carolina state contract. The credit is limited to a maximum of fifty thousand dollars annually. The taxpayer is eligible to claim the credit for 10 consecutive taxable years beginning with the taxable year in which the first payment is made to the subcontractor that qualifies for the credit. After the above ten consecutive taxable years, the taxpayer is no longer eligible for the credit. The credit may be claimed on Form TC-2, "Minority Business Credit." A copy of the subcontractor's certificate from the Governor's Office of Small and Minority Business (OSMBA) is to be attached to the contractor's income tax return.

§ 9.5.2 Taxpayers must maintain evidence of work performed for a State contract by the minority subcontractor. Questions regarding the tax credit and how to file are to be referred to: SC Department of Revenue, Research and Review, Phone: (803) 898-5786, Fax: (803) 898-5888.

§ 9.5.3 The subcontractor must be certified as to the criteria of a "Minority Firm" by the Governor's Office of Small and Minority Business Assistance (OSMBA). Certificates are issued to subcontractors upon successful completion of the certification process. Questions regarding subcontractor certification are to be referred to: Governor's Office of Small and Minority Business Assistance, Phone: (803) 734-0657, Fax: (803) 734-2498. Reference: S.C. Code Ann. §11-35-5010 – Definition for Minority Subcontractor & S.C. Code Ann. §11-35-5230 (B) – Regulations for Negotiating with State Minority Firms.

§ 9.6 Other Special Conditions Of The Work

3. No roof or roof curb work is required on this project – therefore no roof warranty verification is needed. On Sheet M001 – delete Note 18 entirely and on Note 19, delete the third bullet point as follows (image below is from Sheet M001):

18. ~~ROOF CURBS FOR ALL ROOF EQUIPMENT SHALL BE FURNISHED AND INSTALLED BY MECHANICAL CONTRACTOR. ROOFER TO FLASH AND SEAL ROOFING TO CURB. PROVIDE CURB INSIDE AND OUTSIDE DIMENSIONS TO ROOF MFR.~~

19. DUCTWORK COORDINATION:

- FIELD COORDINATE ROUTING OF DUCTWORK PRIOR TO DUCTWORK FABRICATION.
- WHERE DUCTWORK IS ROUTED THROUGH OR BETWEEN TRUSSES, CONSTRUCT DUCT SECTION LENGTHS TO ALLOW INSTALLATION IN TRUSSES.
- ~~COORDINATE DUCTWORK ROUTED THROUGH (OR BETWEEN) TRUSSES WITH STRUCTURAL ROOF TRUSS SHOP DRAWINGS. COORDINATE/VERIFY THAT INTERNAL MEMBERS OF NEW TRUSSES HAVE BEEN DESIGNED TO ALLOW FOR DUCT ROUTING. COORDINATE WITH C.C. WHERE EXISTING ROOF TRUSSES REQUIRE MODIFICATION TO ROUTE DUCTWORK.~~

4. SE-330 Lump Sum Bid Form section 9 indicates the contract time to be 334 Calendar days. For construction start information, please refer to Article 1.1.9 of the AIA A201 OSE Version for clarification.

5. Sheet A-900 lists specific items under Owner provided furniture. A1/A-900 Furniture Plan indicates items that appear to be in addition to what is listed under Owner provided. Unless noted in a schedule or tagged as millwork, all movable furniture shall be provided and installed by others as contracted by the Owner. The General Contractor shall coordinate with the Owner's vendor during installation.

6. There is no hazardous report on file. The Terhune building was constructed in 2002 and is assumed to be clear of hazardous materials – verification and removal of any hazardous material is the Owner's responsibility. Refer to Article 10.3 in the AIA A201 OSE Version.


7. Clarification, Sheet G-001 Sheet index includes Sheet A-752 "CEILING DETAILS - SEISMIC" , however the actual sheet A-752 was not released in the bid set as it was determined by seismic classification that seismic detailing is not required. Please disregard this index reference

8. C1/A704 indicates vinyl graphic on the window glass, for clarification only the upper windows at Level 2 receive the vinyl graphic film and is installed on both the interior and exterior faces, see below. No doors receive vinyl graphic film. exterior faces, see below. No doors receive vinyl graphic film.

408" x 116" Windows (Interior View) Vinyl placed on the interior of existing glass.



408" x 116" Windows (Exterior View) Vinyl placed on the exterior of existing glass.



NOTE: This art is provided by you and is the property of ADMARK Graphic Systems. Any unauthorized duplication, distribution, or modification of this art is illegal and will result in legal action. Please do not print this art on your own equipment. We recommend that you print this art on your own equipment to accommodate the resolution of your graphics. The colors presented on this screen may vary to actual colors.

800.833.2257
admarkgraphics.com

Customer: Saponburg Community College Project: entrance lobby windows
ADMARK Sales Executive: L. U. Dillinger
Scale: 1/10th (100%) digital web Production Artist: ID

VINYL WINDOW IMAGES (INTERIOR AND EXTERIOR PLACEMENT)

General Contractor to purchase printed material from ADMARK and either self install or have ADMARK install. General Contractor to coordinate.
Upper windows at Lobby

9. The deck height is 13'-0" +/- floor to deck at both Ground Level and Level 1.
10. For Wall Type 3A, refer to PARTITION TAG EXAMPLE notes found on Sheet A-001 PARTITION TYPES & DETAILS and coordinate with wall tags on the floor plans. Framing goes to the deck to provide stability and noted here is also designations for GWB that goes 6 inches above the ceiling.
11. Detail C4/A-751 indicates 4" sound attenuating blankets at all office perimeter wall locations, for clarification, all interior perimeter and shared walls of offices shall be Wall Type 3AS, unless designated as a rated wall. Refer to PARTITION TAG EXAMPLE notes found on Sheet A-001 PARTITION TYPES & DETAILS and coordinate with wall tags on the floor plans.
12. Note: As indicated on the drawings at existing exterior wall locations on the Ground level there are lengths of 2'-0" high AFF sections of damaged gypsum board and insulation that was previously removed. Patch and repair these existing exterior wall locations and install new insulation where missing. Refer to revised Note 5, Sheet A-110 FLOOR PLAN GROUND LEVEL, attached in this addendum.
13. Sheet A-721 indicates Manual Window Shades on Exterior Windows Only. For clarification, provide manual window shades on windows in the following rooms shall receive the specified window shades: G31(Dispatch Lobby), G34, G36, G37, G38, G42, G50, G52, G55, G56, G73, G75, G77, G81, G97 and Rooms 102, 104, 105.
14. Sheet A-601 Door Schedule indicates Door Panel Types; however, this information is not required for this bid. On the DOOR SCHEDULE, Sheet A-601 the following columns shall be deleted: DOOR PANELS – PANEL TYPE(S) and DOOR PANELS – PANEL TYPES – PANEL 1, PANEL 2. Disregard the information in those columns.

15. Doors G36, G37, G38, G42, G43, G52, G53, G72, G73, G74, G75, G76, G77, G78, G81, G93, G94, G96, and G97 are not on the DOOR SCHEDULE, these sliding doors are part of the demountable partitions system. These are identified on the FLOOR PLAN LEGEND on Sheets A-110 with a reference to Sheet A-601; however, this sheet number is a typo – the correct sheet number in this reference should be Sheet A-610 DEMOUNTABLE PARTITIONS FOR REFERENCE ONLY. Refer to the note on A-610 stating demountable partitions are NOT INCLUDED in this bid.

16. G-004 indicates New Hollow Metal Window Frame w/ Rated Glazing 1 hr System at three (3) locations in the Lobby G21. The door schedule on sheet A601 miss-identified these doors. For clarification, these three doors are rated hollow metal frames, rated wood doors with rated glazing per the wall rating indicated.

17. Door G34 has a B2 curtain wall but listed on the door schedule as wood door with hollow metal frame. For clarification, Elevation B2, Sheet A-0611 shall be prefinished aluminum storefront, including the door frame and the door shall be wood as scheduled. Drawings will be revised in the ISSUED FOR CONSTRUCTION SET.

18. A601 Door schedule indicates door 102B to have an Aluminum door leaf in a hollow metal frame and the hardware is to be provided by the storefront manufacturer. Door 102B is in a rated location. It shall be a rated hollow metal frame and metal entrance paired doors with rated insulated glazing. Refer to the revised Door Schedule as attached.

19. Sheet A-250, for clarification, provide reinforced concrete footings 4 inches below the slab to anchor each column – 1'-0" x 1'-0" x 2'-0" deep concrete footings at each column with (4) number 5 bars.

20. Sheet A-721 indicates there to be a glass Markerboard in Meeting G4; however, Detail D1, Sheet A-701 incorrectly shows tag GWB-1. This tag should read GMB-1 which is a glass marker board mounted to the gypsum board wall finish. Basis of design for GMB-1 is shown on Sheet A-721, quantity one (1).

21. A4 / Sheet A-250 indicates Standing Seam Metal Roof on wood framed canopy. It also indicates 4" half round copper gutter and downspout. For clarification, the roof on this canopy is not copper, it is a prefinished steel metal roof. Install over ice and water shield over the specified deck. Metal roof basis of design: SL175 – 1 ¼" Snaplock Panel as manufactured by Sentriguard Roofing Systems. Color: Black. Install per manufacturer's instructions.

22. For clarification, Restrooms 107/108 are included in the scope of this project.

23. On the ARCH-ROOM FINISH SCHEDULE, Sheet A-720, replace the reference of PTB-2 with PTB-1. PTB-2 is not used. This drawing will be revised in the ISSUED FOR CONSTRUCTION drawing set.

24. At the mid landing of the open stair between the Ground Level and Level 1 use Johnsonite Solid Color Rubber - Raised Square - 48 Grey - #RT 48 1/8 SQ 24x24.

25. Drawing A-705, for countertop walls at the Restrooms, place CTW-1 above the countertop and PNT-2 will be the wall finish below the countertop.

26. Sheets A-900 and A-001, the Floor Finish Plan incorrectly shows CPT-2 going in a section of the Lobby. At the Ground Level Lobby, use CPT-3. The tag was miss-marked as CPT-2 on the plans – disregard that reference. This will be corrected on the drawings at the ISSUED FOR CONSTRUCTION SET.

27. The 101 Lobby is lists to receive WDB-1 and RBS-2 as the base. For clarification, use RBS-2 on the painted columns and WDB-1 on all other walls.
28. The new wall between Offices G81 and G97 engages an existing window. For below the window sill and above the window head, the new wall shall be framed against the existing walls. Where the wall engages the existing storefront frame and the existing glass provide the following: Product – 60 WIDE (AT NO MULLION) as manufactured by MULL-IT-OVER PRODUCTS www.mullitover.com 616.730.2162. Install per manufacturer's instructions.
29. Sheet A-612, for clarification, Sign D2 shall be placed over Door 102A – mounted to the existing wall, provide power as indicated. Signs B5 – quantity (2), B6 – quantity (2), C4 – quantity (2), C5 quantity (2). Locations to be determined and coordinated with the owner.
30. Sheet A-612, for clarification, Sign B4 should also be included on the Level 1, location to be determined.
31. Existing sign regarding tornado directional information is mounted on an existing wall in the hallway of the ground floor, for clarification, this existing sign shall remain.
32. Sheet A-612, for clarification, Sign B1, sign shall be post mounted.
33. For the exterior building sign shown on A-250. Denyse Signs is provided as a company who can provide this sign, for clarification, the General Contractor is to provide and install this wall mounted sign, along with power requirements. Denyse Signs can provide this sign; however, others will be considered as a subcontractor.
34. For fire extinguishers and cabinets: Basis of Design: Larsen semi-recessed cabinets Model 2409R7, SS finish, standard handle, Temp full-glass. Extinguishers: 2409R7. Where the wall is a rated system, provide a rated cabinet.

PROJECT MANUAL:

1. The specification document, *South Carolina Division of Procurement Services, Office of State Engineer Version of AIA Document A701™ – 2018, Instruction to Bidders*, was inadvertently left out of the Project Manual dated June 6, 2025. This specification section is now issued with no revisions and is thirteen pages in length, see attached. The Project Manual Table of Contents was correct as originally issued.
2. Division 6 Section 06 41 16 – Requirements for AWI and WI certification are required and certification will not be waived.
3. Division 6 Section 06 41 16 – all non-exposed cabinet interiors shall be melamine, color white.

DRAWINGS:

1. The following drawings have been revised and are issued in this addendum:
 - a. Sheet A-110
 - b. Sheet A-111
 - c. Sheet A-601

END OF ADDENDUM 1

| DOOR NUMBER | TYPE | DOOR FIRE RATING (MIN) | DOOR PANELS | | DOOR PANELS | | DOOR PANELS | | DOOR FRAME FACE DIMENSIONS | | | DOOR DETAILS | | | THRESHOLD | SIGNAGE | HW SET | COMMENTS | |
|----------------|-------------------|---------------------------------|-------------------|----------------|-------------|---------|------------------|------------------|-------------------------------|------------|-----------|--------------|------------------|------------------|------------------|------------------|------------------|-------------|---------------------------------------------------------------------------|
| | | | PANEL WIDTH(S) | PANEL WIDTH | PANEL 1 | PANEL 2 | HEIGHT | THICKNESS | UNDERCUT | FINISH 1 | TYPE | WIDTH | HEIGHT | JAMB WIDTH | HEAD HEIGHT | DEPTH | FINISH 1 | HEAD | JAMB |
| GROUND LEVEL | | | | | | | | | | | | | | | | | | | |
| G16 | TYPE F | 45 MIN | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 7" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A4(A-613) 4 |
| G17 | TYPE F | 45 MIN | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A4(A-613) 1 |
| G30 | TYPE F | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T2 | A4(A-613) 5 |
| G31A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | T4 | A4(A-613) 7 | |
| G31B | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A4(A-613) 1 | |
| G33A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A4(A-613) 1 | |
| G33B | TYPE F | 2'-8" | 2'-8" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 2'-8" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A4(A-613) 3 | |
| G34 | TYPE FG | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | T4 | A4(A-613) 2 | |
| G35A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A3(A-613) 2 | |
| G35B | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00AL(CW) | 2'-11 3/4" | 7'-0 1/4" | 0" | 4 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | T2 | A4(A-613) 5 | | |
| G40 | TYPE FG | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A1(A-613) 7 |
| G41A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A3(A-613) 3 | |
| G46 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A3(A-613) 3 | |
| G47 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A3(A-613) 3 | |
| G50A | TYPE FG | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00AL(CW) | 3'-0" | 7'-0" | 0" | 4 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | -- | B1(A-613) - | | |
| G50B | FRAMED OPENING | 3'-6" | 3'-6" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM2 | 3'-6" | 7'-0" | 2" | 2" | 5 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | T4 | - | |
| G54A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A1(A-613) 2 | |
| G54B | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T3 | A1(A-613) 1 | |
| G55 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A3(A-613) 2 | |
| G56 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A3(A-613) 2 | |
| G57 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A3(A-613) 2 | |
| G58A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM2 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | -- | - | |
| G58B | FRAMED OPENING | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | -- | - | |
| G59 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A2(A-613) 2 | |
| G60 | TYPE F | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | EXISTING | | | T4 | A5(A-613) - |
| G70 | TYPE FG | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00AL(CW) | 2'-11 3/4" | 7'-0 1/4" | 0" | 0" | 4 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | T2 | A4(A-613) 5 |
| G71A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A1(A-613) 3 | |
| G71B | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A1(A-613) 2 | |
| G72A | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T1 | A1(A-613) 2 | |
| G91 | TYPE FG | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00AL(CW) | 3'-0" | 7'-0 1/4" | 0" | 0" | 4 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | T2 | A2(A-613) 5 |
| G92 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | PER MANUFACTURER | FRM-00HM1 | 3'-0" | 6'-11 3/4" | 0" | 0" | 4 3/4" | PER MANUFACTURER | PER MANUFACTURER | PER MANUFACTURER | -- | - | |
| LEVEL 1 | | | | | | | | | | | | | | | | | | | |
| 1021 | TYPE F | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A1(A-613) 2 |
| 102B | TYPE DFG | 1HR | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 6'-4" | 8'-0" | 2" | 2" | 7'-0 7/8" | HM-1 | A1(A-601) | A3(A-601) | T3 | PROVIDE WITH RATED, 5/8 INCH THERMAL GLAZING |
| 104 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A1(A-613) 3 | |
| 105 | TYPE F | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | PNT-1 | A1(A-601) | A3(A-601) | T4 | A2(A-613) 2 | |
| 107 | TYPE F | 45 MIN. | 3'-0" | 3'-0" | 7'-0" | 1 3/4" | 0" | WDF-1 | FRM-00HM1 | 3'-0" | 7'-0" | 2" | 2" | 5 3/4" | EXISTING | A1(A-601) | A3(A-601) | A6(A-613) | - REMOVE EXISTING DOOR, FRAME, AND HARDWARE. INSTALL AT NEW WALL LOCATION |

